

# Eisenbarth

Alte Str. 62, 94034 Passau, Germany



**Founded/Born**

-

1945 - ???

**Closed/Death**

**Still active?**

yes

**Webpage**

<https://www.orgelbau-eisenbarth.de>

## Description

The company was founded in 1945 by Ludwig Eisenbarth (\*1909 in Oettingen; †1992 in Passau) in Passau. He learned the organ building trade in his hometown of Oettingen with Steinmeyer. In the early 1950s, the company's premises were built in the Grubweg district. Until around 1960, Eisenbarth mostly built organs with electric or pneumatic slider chests. Even during the peak of neo-Baroque organ building, Eisenbarth's work showed clear southern German influences in the voicing of the pipes.

In 1962, the founder's son, Wolfgang Eisenbarth (\*1941 in Oettingen), joined the company and took over the management of business and organ building in 1987. With the change in company management, the transition to mechanical slider chests took place. Wolfgang Eisenbarth's goal was to combine Italian and French Romantic tonal characteristics. A utility model protection was granted for the double and multiple valve control developed by Eisenbarth. In 2001, the company opened its own pipe making workshop. In 2004, the company became a GmbH under the management of Agathe Eisenbarth and her father Wolfgang Eisenbarth. In October 2022, provisional insolvency administration was ordered. After restructuring, a new start was made on December 1, 2022, with two managing directors, Wolfgang Eisenbarth and Cosmas Fruth.

## Sources

[https://de.wikipedia.org/wiki/Orgelbau\\_Eisenbarth](https://de.wikipedia.org/wiki/Orgelbau_Eisenbarth)

<https://orgelbau-eisenbarth.de/>

# Perlesreut, Pfarrkirche St. Andreas

Marktplatz 25, 94157 Perlesreut, Germany



## Builder

Eisenbarth

## Year

ca. 1982

## Period/Style

Modern

## Stops

30

## Keyboards

3+P

## Keyaction

tracker/mechanical

## Tuning

Well-Tempered at 443 Hz

## Description

Eisenbarth-Orgel mit 30 Registern auf drei Manualen (Schwellwerk, Oberwerk, Hauptwerk)  
Baujahr 1982


## Stoplist/Disposition

Hauptwerk	Schwellwerk	Oberwerk	Pedal
Quintade 16'	Gedackt 8'	Holzrohrflöte 8'	Prinzipal 16'
Prinzipal 8'	Spitz-Gamba 8'	Nachthorn 4'	Subbaß 16'
Hohlflöte 8'	Prinzipal 4'	Prinzipal 2'	Oktavbaß 8'
Oktav 4'	Querflöte 4'	Quint 1 1/3'	Pommer 8'
Quint 2 2/3'	Schwegel 2'	Zimbel 1/2' 3f.	Choralbaß 4'
Super-Oktav 2'	Ses-quialtera 2 2/3' 2f	Krummhorn 8'	Hintersatz 2 2/3' 4f.
Mixtur 1 1/3' 4-5f.	Scharff 1' 4f.		Posaune 16'
Trompete 8'	Hautbois 8'		Echotrompete 8'

**Additional:** 6 Couplers , 2 Tremulants

# Friesach, Stadtpfarrkirche St. Bartholomäus

Wiener Str. 6, 9360 Friesach, Austria



<b>Builder</b>	Eisenbarth
<b>Year</b>	2000
<b>Period/Style</b>	Modern
<b>Stops</b>	43
<b>Keyboards</b>	3+P
<b>Keyaction</b>	tracker/mechanical
<b>Tuning</b>	Equal at 440 Hz
<b>Sampleset</b>	<u>Piotr Grabowski</u>

## Description

The organ of St. Bartholomäus church in Friesach was built by Orgelbau Eisenbarth from Passau (Germany) in the year 2000. At first the organ was built as a two manual instrument with 38 stops, later the Solowerk was added. Due to its size and sound it counts as one of the most important organs in Carinthia (lower Austria).

The instrument has a rather unusual concept. There is a solid Hauptwerk with the Praestant 16' as its base. As its counterpart, the rather big Schwellwerk takes its place in the middle of the instrument. It functions as a French Récit (noticeable through its reeds and the Cornet décomposé), as well as a baroque Positiv under expression (noticeable with the Kleine Quinte and high pitched mixture). With this concept, it was possible to build a third manual as a rather unusual Solowerk in a typical French style. This division includes two voluminous and round flutes, as well as a solo Cornet á Pavillon 8', and least but not last, a Trompette en chamade 8'. Initially a Cor Anglais at 16' pitch would have been the last rank to be installed in that division, but in the end an Englisch Horn 8' was the final stop chosen for the instrument. The Pedal functions as a universal support to the rest of the organ, which takes the Untersatz 32' as its base. The voicing is rather strong, but suiting for the big, cathedral-like building it is situated in, which was built in 1187 (it was enlarged and changed many times after fire in 1298, 1557, 1582, 1673, 1804 and 1895). Furthermore, the organ has a Setzer combination system with dual action for the registers, while the keyboards have tracker action. The original range of the Pedal is from C to f1 and in the manuals from C to a3. There are also foot pistons for coupling and the sequencer.

Structure of the organ:

- Schwellwerk: situated in the middle of the organ case, which also has swell shades on the roof for better volume control and effect.
  - Hauptwerk: on the left and right of the Schwellwerk, split into C and C# sides.
  - Pedalwerk: situated behind the Hauptwerk, also divided into C and C# sides. Stop Untersatz 32' sits on its own windchest behind the main organ case.
  - Solowerk: on top of the Hauptwerk and Pedal pillars, also split by sides, including the Trompette en chamade 8', which is clearly visible in the facade (starting from c).
- The Contrabaß 16' sits in the façade (together with the Preastant 16' of the Hauptwerk).

Through the thoughtful tonal concept of this instrument it's possible to play pieces of many different epochs, be it Lübeck, Buxtehude, Bach, or music from French composers such as Franck, Widor or Dupré. At the same time the music of Messiaen, Mendelssohn, Ritter or Reubke also sound very authentic on this instrument.

## Stoplist/Disposition

Hauptwerk	Schwellwerk	Solowerk	Pedal
Praestant 16'	Bourdon 16'	Jubalflöte 8'	Untersatz 32'
Principal 8'	Principal 8'	Trichterflöte 4'	Contrabaß 16'
Holzflöte 8'	Nachthorn Gedackt 8'	Cornet a pavillon 1-8f. 8'	Subbaß 16'
Röhrflöte 8'	Corno dolce 8'	Trompete en chamade 8'	Octavbaß 8'
Gambe 8'	Viola 8'	Englischhorn 8'	Gedackt 8'
Octave 4'	Vox celeste 8'		Choralbaß 4'
Spitzflöte 4'	Geigenprincipal 4'		Posaune 16'
Quinte 2 2/3'	Querflöte 4'		Trompete 8'
Octave 2'	Nazard 2 2/3'		
Mixtur major 4-5f. 2 2/3'	Flageolet 2'		
Mixtur minor 4f. 1 1/3'	Tierce 1 3/5'		
Trompete 16'	Larigot 1 1/3'		
Trompete 8'	Plein Jeu 4-5f. 2'		
	Scharff 4f. 1'		
	Trompete harmonique 8'		
	Hautbois 8'		
	Clairon 4'		

**Additional:** II/I, III/I, III/II, I/P, II/P, III/P, Tremolo II, Tremolo III

## Sources

<https://piotrgrabowski.pl/friesach/>